

Message

---

**From:** Wilson, Jennifer [wilson.jenniferA@epa.gov]  
**Sent:** 9/27/2018 9:57:16 PM  
**To:** Holst, Linda [holst.linda@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]; Shoven, Heather [shoven.heather@epa.gov]; Harris, Kimberly [harris.kimberly@epa.gov]; Clark, Jacqueline [clark.jacqueline@epa.gov]  
**Subject:** FW: Signed Gen X Letter  
**Attachments:** Gen X - Andrew Hartten.pdf

Hi All,

Attached is the GenX letter that went to Chemours. Linda, I already sent this to the Drinking Water Managers at Ohio EPA as well as Gene Phillips at Ohio Department of Health. However, you may want to send this to the Ohio EPA Director, Craig Butler.

Have a good night,  
Jenny

---

**From:** Reinhart, Roger  
**Sent:** Thursday, September 27, 2018 7:46 AM  
**To:** rogers, rick <rogers.rick@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Cc:** Rowsey, Kevin <rowsey.kevin@epa.gov>; Konfirst, Matthew <konfirst.matthew@epa.gov>; Bennett, James <bennett.james@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>  
**Subject:** FW: Signed Gen X Letter

Hi Jenny,

Attached is the signed letter to Chemours requesting a third (and continuing) quarterly monitoring of GenX in specified water supplies around their Washington Works facility. Could you please pass this along to your contacts in Region 5 and Ohio? Thanks.

Roger